
No.



9400009

THE UNITED STATES OF AMERICA

TO AUL TO WHOM THESE PRESENTS SHAM COME: Ohio Agricultural Research and Rebelopment Center, The Ohio State Unibersity Research Jonnantion Colleges, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic of the variety in a public repository as provided by LAW, the right to exothers from selling the variety, or offering it for sale, or reproducing it, ring it, or exporting it, or using it in producing a hybrid or different therefrom, to the extent provided by the Plant Variety Protection Act. Lited States seed of this variety (1) shall be sold by variety name only as certified seed and (2) shall conform to the number of generations the owner of the rights. (84 Stat. 1542, as amended, 7 U.S.C. 2321 et seq.)

SOYBEAN

'Vertex'

In Lestimony Minereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C.

this 31st day of October in the year of our Lord one thousand nine fundred and ninety-five.

March A Sant

Commissioner

Plant Variety Protection Office

Agricultural Marketing Service

Alistoman Arctary of Agriculture Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, DIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

110 000 0THE OF			1
U.S. DEPARTMENT OF AGRICULTURAL MARK APPLICATION FOR PLANT VARIE (Instructions of	ETING SERVICE TY PROTECTIOI	N CERTIFICATE	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421) Information is held confidential until certificate is issued (7 U.S.C. 2426).
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR	3. VARIETY NAME
Ohio Agricultural Research and Develo	onment Center	EXPERIMENTAL NO.	J. VALUE I WANTE
The Ohio State University RESERVED FOR	Orthodopan)	HS88-4905	Vertex
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	000000000000000000000000000000000000000	5. PHONE (Include area code)	
1680 Madison Ave.			FOR OFFICIAL USE ONLY PYPO NUMBER
Wooster, OH 44691		(216) 263-3701	F F F O NOMBER
		(210) 203 3/01	9400009
			
			F Date
6. GENUS AND SPECIES NAME	1		1 1 DUC. 12, 1793
Glycine max	7. FAMILY NAME (Botani	•	I Time
orycline max	Fabaceae (Leg	uminosae)	G 4:15 □AM \ \ PM
8. CROP KIND NAME (Common Name)	9.	DATE OF DETERMINATION	F Filing and Examination Fee:
Soybean		-	€ :2325.00
		b. 5, 1993	S Date
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	ANIZATION (Corporation, pan	nership, association, etc.)	P. Oct. 12, 1993
State Agricultural Experiment Station			C Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		TE OF HIGHEROP - TION	• <u>• 275 00</u>
	12. 04	TE OF INCORPORATION	V Date
			5 August 8, 1995
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	D SERVE IN THIS APPLICATE	ON AND RECEIVE ALL PAPERS	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
S. K. St. Martin			. 0
Dept. of Agronomy	•		
Ohio State University			
Kottman Hall, 2021 Coffey Rd., Columb	us OH 43210		((1/) 200 2/00
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Fo		PHONE (Include area cod	e): (614) 292-8499
a. X Exhibit A, Origin and Breeding History of the Variety		50/	
b. X Exhibit B, Novelty Statement.			
c. X Exhibit C, Objective Description of Variety.			
d. Exhibit D, Additional Description of Variety.		***	•
The state of the s		•	
Seed Sample (2,500 viable untreated seeds). Date Seed Filing and Examination Fee (\$2,560) made payable to	Sample mailed to Plant \	ariety Protection Office	·
9. Et anny and Examination Fee (\$2,166) made payable to	Treasurer of the United St	ales."	
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SI			e section 83(a) of the Plant Variety
X YES (If "YES," answer items 16 and 17 b		O," skip to item 18 below)	
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS?	TO 17. IF "YES" TO	TEM 16, WHICH CLASSES OF PRODU	CTION BEYOND BREEDER SEED?
YES NO	FOU	NDATION REGISTI	ERED CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE V.	ARIETY IN THE U.S.?		
YES (If "YES." Ihrough Plant Variety Protection Act	Patent Act. Give dat	a- 1	
X NO	ratem Act. dive dar		•
19 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR I	MARKETED IN THE U.S. OR C	THER COUNTRIES?	
YES (II "YES," give names of countries and dates)			
X NO			e e e e e e e e e e e e e e e e e e e
		 -	•
20. The applicant(s) declare(s) that a viable sample of basic se	eeds of this variety will	he furnished with the conlication	a and will be replanished upon
request in accordance with such regulations as may be app	licable.	be furtished with the application	in and will be replemaned upon
The undersigned applicant(s) is (are) the owner(s) of this	sexually reproduced i	novel plant variety, and believe	(s) that the variety is distinct.
uniform, and stable as required in section 41, and is entitle	ed to protection under th	e provisions of section 42 of the F	Plant Variety Protection Act.
Applicant(s) is (are) informed that false representation her	ein can jeopardize prote	ection and result in penalties.	•
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR 1		DATE /
The all all all the		.,,,	alielas
FALLMIN NV SH GINTALANN		- D	1 9/15/93
SIGNATURE OF APPLICANT JOWNER(S)		e Professor (breeder	
100 (1) 000 4	CAPACITY OR 1	HEE .	DATE
	12-	WE EXECUTIVE DIERROR	911100 1
The same	10580Cap	HE CX SCUTIVE VIEORTOR	1/16/73 1
FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete			•

'Vertex' Exhibit A - Origin and Breeding History

Vertex was derived from the cross 'Conrad' x 'Hayes', which was made at Columbus, OH, in 1985. The $\rm F_1$ plant was grown at Mayaguez, Puerto Rico during winter 1985-86. In summer 1986, $\rm F_2$ plants were produced at Columbus and harvested individually. $\rm F_2$ -derived lines were evaluated in 1.5-m long plots in Ohio in 1987. One such line, HS87-5028, was retained for generation advance and further testing.

Six F_4 plants from HS87-5028 were produced in the greenhouse at Columbus in winter 1987-88. One of the resulting F_4 -derived lines, designated HS88-4905, was planted for seed increase in 1988 at Columbus. Meanwhile, the progenitor line HS87-5028 was tested for yield and other agronomic traits at 3 Ohio locations in 1988 and again in 1989.

Line HS88-4905 was tested at three Ohio locations in 1989. It was tested regionally in Uniform Preliminary Test IIA in 1990 and in Uniform Test II in 1991-93. It was also entered in the Ohio Advanced Line Test and other Ohio tests in 1990-93. On February 5, 1993, the release of HS88-4905 under the name 'Vertex' was approved by the Crop Variety Release and Distribution Committee of the Ohio Agricultural Research and Development Center (OARDC). This action

was subsequently approved by the Director of OARDC.

Purification and multiplication of Vertex were initiated by selection of typical individual plants in 1989. Progeny rows from these plants were produced at Columbus in 1990; rows were selected for uniformity and trueness to type. Each row was tested to make certain that it was uniform for response to phytophthora rot. The uniform rows were planted at South Charleston, OH, in 1991. This increase was inspected and rogued at flowering and several times near maturity. The increase was harvested in bulk and planted at Croton, OH, in 1992 to provide breeder seed. Field inspection was carried out at both flowering and maturity in 1992, and the breeder seed was examined by a registered seed analyst for purity. These steps assured that the variety conforms to acceptable standards of uniformity.

Stability of Vertex is indicated by consistent maturity, height, yield, seed size, pigment characteristics, disease reaction, and chemical composition relative to other cultivars in regional and Ohio tests.

2

'Vertex' Exhibit B - Statement of Novelty

Vertex has been compared extensively to other public cultivars and, among such cultivars, is unique in its combination of early maturity, lodging resistance, and resistance to phytophthora rot (Rps1k gene).

There are relatively few private cultivars of maturity group II that carry the Rps1k gene. Vertex can be distinguished from these by its combination of gray pubescence and buff hilum.

The brown pods of Vertex distinguish it from its sister line 'Sandusky', which has tan pods. Also, Vertex matures 4 days earlier than Sandusky.

Page 1 of 4

PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20706

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

3016	LAN (GryCine max L)	
NAME OF APPLICANT(S) Ohio Agricultural Research and Developme	TEMPORARY DESIGNATION	VARIETY NAME
Center, The Ohio State University	HS88-4905	Vertex
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co.	ode)	FOR OFFICIAL USE ONLY
1680 Madison Ave.		PVPO NUMBER
Wooster OH 44691	and the second of the second o	9400009
Choose the appropriate response which characterizes the vin your answer is fewer than the number of boxes provide. Starred characters * are considered fundamental to an ade when information is available.	d, place a zero in the first box w	then number is 9 or less (e.g., 0 9).
1. SEED SHAPE:		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened ((L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	Programme Action	The second of the second of the second
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
	soy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		n man ing ang againg income and an
1 8 Grams per 100 seeds	ing the second of the second o	
5. HILUM COLOR: (Mature Seed)		
1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Black	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:	-	· · · · · · · · · · · · · · · · · · ·
1 = Type A (SP1 ⁸) 2 = Type B (SP1 ^b)		enderste et en de state et en de st De state et en de st
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green wi 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71' 4 = Dark Purple extending to unifoliate leaves ('Hodgson'	th bronze band below cotyledons (1)) ; 'Coker Hampton 266A')	Noodworth'; 'Tracy')
D. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)


Section 18 control of the	The second of th	est en la companya de la companya d	and the second of the second o
11. LEAFL	ET SIZE:		9400009
2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
		<u>。1987年</u> - 1987年 - 1988年 - 19	
12. LEAF	COLOR:		
1	1 ~ Light Green ('Weber'; 'York') 3 ~ Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton'	
13. FLOWE	SP COLOR		•
2	1 = White 2 = Purple	3 = White with purple throat	
14. POD CC	DLOR:	A CONTRACTOR OF THE SERVICE OF THE S	
2	1 = Tan 2 = Brown	3 = Black	
15. PLANT	PUBESCENCE COLOR:		
1	1 = Gray 2 = Brown (Tawny)		
16. PLANT	TYPES: 11 A THE PARTY OF THE PA		
1	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
17. PLANT		er en	
3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pe	2 = Semi-Determinate ('Will')	
18. MATUR	ITY GROUP:		
0 5	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VII	4 = I 5 = II 6 = III I 12 = IX 13 = X	7 = IV
19. DISEASE	REACTION: (Enter 0 = Not Tested; 1 =	Susceptible; 2 = Resistant)	
BACTE	RIAL DISEASES:		
★ 0	Bacterial Pustule (Xanthomonas phaseoli vi	ar. sojensis)	
2	Bacterial Blight (Pseudomonas glycinea)		
	Wildfire (Pseudomonas tabaci)		en er en
لــــــا	. DISEASES:	·	
_	Brown Spot (Septoria glycines)		
	Frogeye Leaf Spot (Cercospora sojina)	A case of the	A CALLY A TO THE
* 0 ,	Race 1 0 Race 2 0 Ra	oce 3 0 Race 4 0 Race 5	Other (Specify)
	Target Spot (Corynespora cassiicola)		Op The Sol
	Downy Mildew (Peronospora trifoliorum va	r. menshurice)	2/993
	Powdery Mildew (Microsphaera diffusa)		
<u></u>	Brown Stem Rot <i>(Cephalosporium gregatum</i> Stem Canker <i>(Diaporthe phaseolorum var. c.</i>	•	
			5
OHM LMGS-4	70-57. (6-83)	The state of the s	Page 2 of 4

19,	DISEA	SE REACTION	: (Enter 0 = Not Tested; 1 = Susceptible; 2 = R	esistant) (Continued)		
	FUN	GAL DISEASE	S: (Continued)		e de la companya de La companya de la co	9400009
*	1	Pod and Stem	Blight (Diaporthe phaseolorum var; sojae)			Yang Tanggaran Sanggaran Sanggaran Sanggaran Sanggaran Sanggaran Sanggaran Sanggaran Sanggaran Sanggaran Sanggaran Tanggaran Sanggaran
	1	Purple Seed S	tain (Cercospora kikuchii)			
S	0	Rhizoctonia f	Root Rot (Rhizoctonia solani)			
		Phytophthora	Rot (Phytophthora megasperma var. sojae)			na sta The second A
*	2	Race 1	2 Race 2 2 Race 3 2	Race 4 2 Race 5	Race 6	2 Race 7
	2	Race 8	2 Race 9 2 Other (Specify) 10	0, 11, 13, 14, 15,	17-24	**
	VIRA	AL DISEASES:	The state of the s	ja okonski kirjorija († 1864). Postava		
	0	Bud Blight (T	obacco Ringspot Virus)	and the second and th	and the contract of the con- contract of	entropies.
	0	Yellow Mosaid	c (Bean Yellow Mosaic Virus)			
*	0	Cowpea Mosa	ic (Cowpea Chlorotic Virus)			
	0	Pod Mottle (B	ean Pod Mottle Virus)	• • • • • • • • • • • • • • • • • • •		
*	1	Seed Mottle (Soybean Mosaic Virus)			
	NEM	ATODE DISEA	SES:			
		Soybean Cyst	Nematode (Heterodera glycines)			
*	0	Race 1	0 Race 2 0 Race 3 0	Race 4 Other (S	Specify)	
• •	0	Lance Nemato	ode (Hopiciaimus Colombus)			
₹	0	Southern Roo	t Knot Nematode (Meloidogyne incognita)			
*	0	Northern Roo	t Knot Nematode (Melaidagyne Hapla)			
٠	0	Peanut Root A	Knot Nematode (Meloidogyne arenaria)			
	0	Reniform Nen	natode (Rotylenchulus reniformis)		•	
		OTHER DISE	ASE NOT ON FORM (Specify):			
20	PHYSIC	I OGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscepti	hie: 2 = Revietanti		
★			on Calcareous Soil	Die, E - Massienty		•
		-	Short hypocotyl at 25°C		· 	
21	INSECT	**	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	istenti		
	Ø		Beetle (Epilachna varivestis)			
	2		opper (Empossca fabae)			
	一	Other (Specify			~-	_
22	INDICA		RIETY MOST CLOSELY RESEMBLES THAT	CLIDMITTED		
		ACTER	NAME OF VARIETY	CHARACTER	NAME OF	VARIETY
	Plant Sh	····		Seed Coat Luster		·
	_eaf Sha	pe		Seed Size		
	Leaf Col	or		Seed Shape		•
· !	_eaf Size	· · · · · · · · · · · · · · · · · · ·		Seedling Pigmentation		*
4.0		•		•		· · · · · · · · /

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO.
				CM Width	CM Length	% Protein	% OII	SEEDS	POD
Vertex Submitted	124	1.5	90			39.0	21.3	17,6	
Sturdy Name of Similar Variety	124	1.9	88		sa _r a	40.4	20.6	18.4	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



'Vertex' Exhibit E - Basis of Applicant's Ownership

'Vertex' is owned by the Ohio Agricultural Research and Development Center, The Ohio State University (OARDC-OSU). The development of Vertex was carried out by employees of OARDC-OSU as part of their assigned duties. In cases where testing and seed increase were carried out by collaborating institutions, memoranda of understanding were in force which clearly indicated that ownership of the variety resided with OARDC-OSU.